

2019 Town of Kitty Hawk, Town of Kill Devil Hills Topographic and Hydrographic Survey Report

Prepared for:

**Town of Kitty Hawk, North Carolina
Town of Kill Devil Hills, North Carolina**

Prepared by:

**Aptim Coastal Planning & Engineering of North Carolina, Inc.
4038 Masonboro Loop Road
Wilmington, NC 28409**

September 2019

Table of Contents

Abstract
Survey Methodologies
Map Preparation
Ground Digital Photography
Survey Maps
Survey Report Notes and Certification

List of Appendices

Appendix No.

- 1 Monument Information Report
- 2 Profile XYZ data
- 3 Profile Plots
- 4 Ground Digital Photography
- 5 Field Book Pages

ABSTRACT

Aptim Coastal Planning and Engineering of North Carolina (APTIM) was contracted by Kitty Hawk and Kill Devil Hills, North Carolina to provide a topographic and hydrographic survey. The 2019 topographic and hydrographic Survey consisted of forty four (44) profile stations spanning across Two (2) towns; Town of Kitty Hawk and Town of Kill Devil Hills. Aptim surveyors conducted the beach and hydrographic surveys from May 16, 2019 through May 29, 2019.

The physical monitoring of Town of Kitty Hawk and Town of Kill Devil Hills included topographic and hydrographic surveys of the beach and offshore areas. The monitoring data is necessary to observe and assess beach conditions for future construction. The scientific monitoring processes provide information necessary to plan, design, and optimize subsequent follow up projects. The information gathered may potentially reduce the need for, and cost of, unnecessary work as well as potentially reducing any environmental impacts that may have, or is expected to occur.

SURVEY METHODOLOGIES

The surveys were conducted in accordance with the Minimum Performance Standards for the U.S. Army Corps of Engineers (USACE), Engineering and Design Hydrographic Surveying Manual (EM 1110-2-1003).

This survey is in accordance with Chapter 56.1606 of the North Carolina Administrative Code (NCAC) specifications established by The North Carolina Engineering and Land Surveying Act (GS89C). In addition, all hydrographic surveying was conducted under the direct supervision of an American Congress of Surveying and Mapping (ACSM) Certified Hydrographer (CH). Included in this Hydrographic and Topographic Survey Report are ten (10) maps visualizing profiles, one (1) project location map and nine (9) plan view maps. The plan view maps show reduced true position elevation data collected during the survey. The location of all published control, as well as control found and used for survey purposes, is presented in the Monument Information Report provided in **Appendix 1**.

Vertical data was collected in the North American Vertical Datum of 1988 (NAVD88). All Horizontal data is provided in the North Carolina State Plane Coordinate System, North American Datum of 1983(2011) (NAD 83(2011)). Profile data is presented in xyz format relative to The North American Vertical Datum of 1988 (NAVD88) in **Appendix 2** (digital format only). Profile plots are provided in **Appendix 3**. Ground digital photography obtained during the survey is provided in **Appendix 4**. Copies of all field book pages are provided in **Appendix 5** (digital format only).

The field survey and data collection activities encompassed four (4) phases. Brief descriptions of each survey phase, including methodologies and quality control/quality assurance procedures, are described below.

Phase One: Control Reconnaissance/Establishment/Verification

Prior to the start of the survey, reconnaissance of the monuments was conducted to confirm that survey control was in place and undisturbed. Real Time Kinematic Global Positioning System (RTK GPS) was used within a virtual reference station (VRS) network to locate and confirm survey control for this project. The North Carolina Geodetic Survey Continuously Operating Reference Station (CORS) Network stations used for this project included NCDU (Duck 3), NCBI (Bodie Island), NCBX (Buxton), NCEL (Elizabeth), and NCCR (Creswell). The horizontal and vertical accuracy of control data meets the accuracy requirements as set forth in the Engineering and Design Hydrographic Surveying Manual (EM 1110-2-1003). In order to achieve required accuracy, the topographic and hydrographic surveys were controlled using 2nd order monuments, specifically ARCH, DURHAM, KITTY, CAFFEY, AND 865 1370 C TIDAL from the National Geodetic Survey (NGS). Horizontal and vertical

positioning checks were conducted at the beginning and end of each day using at least two 2nd order monuments in the project area. The RTK GPS utilizes statistical methods to ensure accuracy of RTK GPS data remains within the 95% confidence interval. The control check shots were acquired using a minimum of five (5) epochs which results in a high accuracy location. Results from 2nd order control checks are displayed showing northing, easting, monument elevation, inverses, horizontal and vertical root mean square error, location description and photographs as indicated in the Monument Information Report (**Appendix 1**).

Phase Two: Beach Profiles

Upon completion of the control reconnaissance survey, beach/upland and nearshore operations were initiated. Cross-sections of the beach in the project area were surveyed using extended rod RTK GPS rovers, and standard RTK GPS rovers. Extended rod RTK GPS rovers were used to augment RTK GPS survey capability into the nearshore. The current systems allow surveyors from APTIM to collect the entire beach profile with RTK GPS technology. Incorporation of RTK GPS into monitoring surveys greatly reduces the potential for human error during data collection and reduction.

Profiles commenced from the onshore control point and extend seaward overlapping the offshore data. Nearshore portions of the profiles were surveyed by two (2) surveyors with an Extended Rod Trimble R8 RTK GPS rover who entered the water wearing Personal Floatation Devices (PFD). Trimble TSC3 data collectors are equipped with Bluetooth technology allowing wireless communication with the GPS receiver at a data exchange speed of 2.1 megabits per second. The rover system allows surveyors from APTIM to reach a maximum water depth of eleven (11) feet. The nearshore survey extended seaward to a point overlapping the offshore portion of the profiles by at least fifty (50) feet.

The upland portion of the survey commenced at the waterline and extended 250 feet landward of the dune or until an obstacle was encountered. The upland portions of the profiles were surveyed using an RTK GPS. Elevations were taken at approximately twenty-five (25) foot intervals along each profile line and at all grade breaks. To maintain online accuracy surveyors utilized the RTK GPS feature *stakeout point*. *Stakeout point* allows surveyors to maintain the profile azimuth without relying on survey lathe or conventional compass bearings.

Phase Three: Nearshore/Offshore Profiles

The Nearshore/Offshore profiles were conducted at each required profile station. The profiles were obtained 2,500 feet beyond the shoreline or to the -30 NAVD88 contour, whichever is more landward. The landward limits of the nearshore profiles were based on a minimum overlap of fifty (50) feet beyond the seaward extent of beach profiles. Soundings were collected at 200kHz with an Odom Hydrotrac II single frequency sounder connected to a

centrally located, hull-mounted transducer on APTIM's twenty-eight (28) foot Parker survey vessel. These soundings were then reduced to 25' spacing, sufficient to provide an accurate depiction of the seafloor.

Data was digitally stored using HYPACK 2019 Software. A Trimble R-8 RTK GPS and a TSS DMS-25 dynamic motion sensor were used onboard the survey vessel to provide instantaneous tide corrections and attitude corrections. Manual tide readings were taken while conducting the onshore portion of the profile to verify onboard tide readings. In order to maintain the vessel navigation along the profile lines, HYPACK 2019 navigation software was used. This software provided horizontal position to the sounding data allowing real-time review of the data in plan view or cross-section format. HYPACK 2019 also provided navigation to the helm to minimize deviation from the online azimuth.

Horizontal and vertical positioning checks were conducted at the beginning and end of each day as described in phase one (1) of the survey. The sounder was calibrated via bar-checks and a sound velocity probe at the beginning and end of the day. The DIGIBAR PRO sound velocity meter offers a fast additional calibration for sound velocity as compared to the traditional bar-check. Bar-checks were performed from a depth of five (5) feet to a depth of at least twenty-five (25) feet. Analog data showing the results of the bar-check calibration was displayed on the sounder charts at five (5) foot increments during descent of the bar. Offshore data was collected within 2 (two) weeks of onshore data collection for each line.

Phase Four: Data Reduction/Submittals

Upon completion of the field work, data was edited and reduced with Trimble Business Center, HYPACK 2019, and APTIM's internal software programs. The upland and nearshore portions of the beach profile were viewed and edited in Trimble Business Center and a comma delimited XYZ file was created. The offshore raw digital data was viewed and edited in HYPACK 2019's *Single Beam Editor*. The offshore RTK GPS tide data that was collected was compared to the manually collected RTK GPS nearshore tide data, local observed, and predicted tides for data verification purposes. Tide corrected offshore data was exported and a comma delimited XYZ file was created. All overlapping profile data was compared in cross section to ensure system accuracy. The edited beach profile data and offshore profile data were merged and a representative cross-section was derived for each profile line. The cross sections were developed using internal APTIM plotting programs.

The final plots were edited and reviewed with comparisons to previous years; discrepancies were noted and resolved. The final approved cross-section data was prepared in the required formats for submittal (**Appendix 3**). Digital data is provided in the State required vertical datum NAVD88.


Map Preparation:

Upon completion of the surveys and data reduction, the survey maps were prepared in ArcGIS 10.6. In order to avoid congestion, the survey maps do not show all of collected elevations but enough to give an accurate depiction of the cross sections. The survey maps display profile data and control monument locations plotted against United States Army Corps of Engineers (USACE) 2016 aerial photographs.

Ground Digital Photography:

Surveyors from APTIM collected three (3) digital photos at a mid-beach location at each profile location. The three (3) photos included one (1) in each shore-parallel direction and one (1) landward toward the monument. Wherever possible, an additional digital photo was taken of the control identification or stamping on the monument.


2019 TOWN OF KITTY HAWK AND TOWN OF KILL DEVIL HILLS ANNUAL MONITORING BEACH PROFILE SURVEY REPORT



INDEX TO SHEETS	
1	COVER SHEET AND PROJECT LOCATION MAP
2-10	PROJECT PLAN VIEWS

CONTROL USED BY APTIM 2019 SURVEY			
DATUMS: NAD83/2011 / NAVD88			
STATION	NORTHING	EASTING	AZIMUTH
-50+00	876228.00	2968838.00	62.57
-40+00	875440.00	2969249.00	62.57
-30+00	874496.08	2969731.60	62.57
-20+00	873607.16	2970189.67	62.57
-10+00	872720.97	2970653.00	62.57
0+00.00	871890.80	2971224.20	62.60
9+99.90	871003.30	2971685.80	62.60
20+02.68	870116.70	2972153.20	62.20
30+05.52	869230.00	2972621.70	62.20
40+23.88	868329.70	2973097.50	62.20
50+28.29	867441.70	2973566.70	62.20
60+50.00	866538.40	2974044.00	62.20
70+02.90	865695.80	2974489.10	62.20
80+15.19	864800.80	2974962.00	62.20
89+56.91	863968.20	2975401.90	62.20
99+99.71	863052.20	2975900.20	61.50
109+99.46	862189.90	2976406.10	59.60
119+99.14	861327.70	2976911.90	59.60
130+33.04	860436.00	2977435.10	59.60
138+27.64	859735.48	2977811.33	59.60
149+99.46	858740.05	2978430.26	59.60
159+99.55	857895.27	2978966.59	59.60
169+70.21	857040.44	2979427.66	59.60
179+87.62	856163.07	2979942.69	59.60
189+87.10	855301.16	2980448.64	59.60
199+93.01	854433.71	2980957.84	59.58
209+74.44	853579.14	2981440.37	60.53
219+99.94	852686.23	2981944.55	60.53
229+83.39	851830.15	2982428.55	60.52
240+41.84	850908.80	2982949.45	60.52
249+81.53	850076.05	2983384.80	61.90
260+17.44	849165.95	2983879.57	61.90
269+49.25	848341.66	2984314.02	62.20
279+80.81	847429.13	2984795.03	62.20
289+99.14	846547.02	2985305.30	62.20
299+92.48	845649.70	2985733.15	62.20
309+71.20	844785.81	2986193.06	61.97
314+88.20	844329.40	2986436.00	62.00
320+05.37	843872.99	2986679.03	61.97
329+88.80	843003.79	2987138.95	62.10
340+20.02	842092.34	2987621.23	62.12
349+69.94	841269.59	2988097.30	62.12
359+82.85	840357.49	2988539.16	62.12
369+89.02	839485.48	2989042.40	62.12

DARE COUNTY A-MON CONTROL			
MON STAMPING	NORTHING	EASTING	M. ELEV.
ARCH 2005	854412.25	2979783.79	11.64
KITTY 1962	859358.84	2977204.86	9.17
DURHAM	849159.56	2982928.60	9.09



LEGEND	
⊕	PROFILE STATION
⊕	CONTROL MONUMENT
PV	PLAN VIEW
CS	COVER SHEET
APTIM	APTIM COASTAL PLANNING & ENGINEERING OF NORTH CAROLINA INC.
C.O.L.	CERTIFICATE OF LICENSURE
NAVD	NORTH AMERICAN VERTICAL DATUM
NAD	NORTH AMERICAN DATUM
NTS	NOT TO SCALE
Rd	ROAD
NC	NORTH CAROLINA
AZ	AZIMUTH
MON	MONUMENT
ID	IDENTIFICATION
MK	MARK
U.S.	UNITED STATES OF AMERICA

APTIM COASTAL PLANNING & ENGINEERING OF NORTH CAROLINA, INC.

4038 MASONBORO LOOP RD.
WILMINGTON, NC 28409

PH: (910) 791-9494
FAX (910) 791-4129
COL #C2331

2019 TOWN OF KITTY HAWK AND TOWN OF KILL DEVIL HILLS ANNUAL MONITORING BEACH PROFILE SURVEY REPORT

COVER SHEET

DRAWING NO.
CS

SHEET 1 OF 10

Checked by:	Drawn by:	Date:	Project:	Scale:	AS NOTED
M. Lowic	B. Beard	August 2019	2019 TOWN OF KITTY HAWK AND TOWN OF KILL DEVIL HILLS ANNUAL MONITORING BEACH PROFILE SURVEY REPORT	AS NOTED	AS NOTED
Reviewed by:	Submitted by:	Checked by:			
T. Shahar	M. Lowic	M. Lowic			
			No.	Date	Description

MATCHLINE SHEET 2 OF 10


MATCHLINE SHEET 4 OF 10



NOTES:

1. DATES OF SURVEY: MAY 16, 2019 - MAY 29, 2019
2. COORDINATES SHOWN ARE IN FEET BASED ON THE NORTH CAROLINA STATE PLANE COORDINATE SYSTEM, ZONE 3200 NORTH AMERICAN DATUM 1983/2011 (NAD83/2011).
3. ELEVATIONS SHOWN ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM (NAVD) 1988.
4. DATE OF AERIAL PHOTOGRAPHY: 01/29/2016

Checked by:	Designed by:	Reference File:
M. Lowric	M. Lowric	
Reviewed by:	Drawn by:	
J. Blanton	B. Stuard	
Submitted by:	Date:	
M. Lowric	September 20 19	
Plot Scale:	Plot Scale:	
AS NOTED	AS NOTED	



- NOTES:**
1. DATES OF SURVEY: MAY 16, 2019 - MAY 29, 2019
 2. COORDINATES SHOWN ARE IN FEET BASED ON THE NORTH CAROLINA STATE PLANE COORDINATE SYSTEM, ZONE 3200 NORTH AMERICAN DATUM 1983/2011 (NAD83/2011).
 3. ELEVATIONS SHOWN ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM (NAVD) 1988.
 4. DATE OF AERIAL PHOTOGRAPHY: 01/29/2016

**APTIM COASTAL PLANNING & ENGINEERING
OF NORTH CAROLINA, INC.**

4038 MASONBORO LOOP RD.
WILMINGTON, NC 28409

PH: (910) 791-9494
FAX: (910) 791-4129
COL #C2331

Checked by:	Designed by:	No.	Date	Description
M. Lowrie	M. Lowrie			
B. Buzard	B. Buzard			
M. Lowrie	M. Lowrie			
AS NOTED	AS NOTED			

Reference Files:

2019 TOWN OF KITTY HAWK AND TOWN OF KILL DEVIL HILLS TOPOGRAPHIC AND HYDROGRAPHIC SURVEY REPORT

PLAN VIEW



NOTES:

1. DATES OF SURVEY: MAY 16, 2019 - MAY 29, 2019
2. COORDINATES SHOWN ARE IN FEET BASED ON THE NORTH CAROLINA STATE PLANE COORDINATE SYSTEM, ZONE 3200 NORTH AMERICAN DATUM 1983/2011 (NAD83/2011).
3. ELEVATIONS SHOWN ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM (NAVD) 1988.
4. DATE OF AERIAL PHOTOGRAPHY: 01/29/2016

Checked by:	Drawn by:	Date	Description
M. Lovick	M. Lovick		
B. Stuard	B. Stuard		
Y. Shaha	Y. Shaha		
Submitted by:			
M. Lovick			
7/20/2019			



NOTES:

1. DATES OF SURVEY: MAY 16, 2019 - MAY 29, 2019
2. COORDINATES SHOWN ARE IN FEET BASED ON THE NORTH CAROLINA STATE PLANE COORDINATE SYSTEM, ZONE 3200 NORTH AMERICAN DATUM 1983/2011 (NAD83/2011).
3. ELEVATIONS SHOWN ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM (NAVD) 1988.
4. DATE OF AERIAL PHOTOGRAPHY: 01/29/2016

Checked by:	Designed by:	Drawn by:	Date:	Submitted by:	Plot Scale:	No.	Date	Description
M. Lowric	M. Lowric	B. Stansard	September 20 19	M. Lowric	AS NOTED			

Survey Report Notes

Survey Title: 2019 Kitty Hawk, NC, Kill Devil Hills, NC
Topographic and Hydrographic Survey

Prepared Date: September 2019

Prepared For: Kitty Hawk, NC and Kill Devil Hills, NC

Prepared By: Aptim Coastal Planning & Engineering of North Carolina, Inc.

Dates of Survey: May 16, 2019 through May 29, 2019

Survey Location: Kitty Hawk -50+00 through 229+83.39
Kill Devil Hills 138+27.64 through 369+89

Notes:

1. The survey is neither valid nor complete without both the survey report and described survey maps. Digital data files encompassing the following have also been provided in the following formats listed.
 - *Monument Information Report (Appendix 1)*
 - *ASCII file (profile xyz data. Digital only) (Appendix 2)*
 - *Profile Plots (Appendix 3)*
 - *Ground Digital Photography (Appendix 4)*
 - *Project field books (Digital Only)(Appendix 5)*
2. The information on this map represents the results of the survey on the dates indicated and can only be considered as indicating the general conditions existing at the time.
3. The coordinates shown are in US survey feet based on the vertical and horizontal data that was collected and presented relative to the North American Vertical Datum of 1988 (NAVD88) and the North Carolina State Plane Coordinate System, North American Datum of 1983(2011) (NAD 83(2011)).
4. Vertical measurements are based on second order monuments ARCH, DURHAM, KITTY, CAFFEY, AND 865 1370 C TIDAL, per published NGS coordinates.

5. Bearings are based on a bearing of South 24° 27' 33" East between NGS second order monuments CAFFEY and ARCH per published NGS coordinates.
6. Underground and subaqueous improvements and/or utilities were not located as part of this survey and should be field verified prior to any dredging or construction activities.
7. Refer to APTIM field book No. 490 and Swims for the onshore portion and book No. 50 for the offshore portion.
8. Aids to navigation were not located during this survey.
9. Soundings were collected using an Odom Hydrotrac II, Single Frequency, survey grade sounder. The sounder was calibrated prior to the start of the survey following manufacturers recommended procedures.
10. This survey was conducted for the Town of Kitty Hawk and the Town of Kill Devil Hills for use as a topographic and hydrographic survey.

APPENDIX OVERVIEW

1) Monument Information Report

Data collected during the survey is entered in a spreadsheet format and compared to data provided by NGS. This comparison shows differences in northings, eastings and elevation of NGS published control, what was collected in the field, and what was used during profile reduction.

2) Profile XYZ data (digital only)

Offshore survey data was converted into APTIM files. Onshore data was reduced by standard means of reduction and also entered into APTIM format and merged with the offshore data. APTIM format is used for in-house plotting, volume computations and other engineering analyses. The APTIM formatted data was converted into xyz format. The xyz data is provided in the datum collected (NAVD88) as per state standards.

3) Profile Plots

Profile plots of this survey data compared with historical profile data.

4) Ground Digital Photography

APTIM surveyors collected three (3) digital photos at a mid-beach location at each profile location. The three (3) photos included one (1) in each shore-parallel direction and one (1) landward toward the monument. In addition, wherever possible a digital photo was taken of the control identification or stamping on the monument.

5) Field Book Pages (digital only)

This appendix includes copies of the field book pages used for the survey. Refer to APTIM field book No. 490 and Swims for the onshore portion. Navigation field book No. 50 for the offshore survey.

APPENDIX 1

MONUMENT INFORMATION REPORT

CONTROL MONUMENT USED BY APTIM FOR 2019 TOWN OF KITTY HAWK, TOWN OF DUCK TOPOGRAPHIC AND HYDROGRAPHIC SURVEY REPORT MAY 2019	
DATUMS: NAD83(2011) / NAVD1988 (U.S. SURVEY FEET)	
Designation	ARCH
Stamping	ARCH 2005
Northing	854412.25
Easting	2979783.79
Horizontal Root Mean Square Error	0.057
Elevation	11.64
Vertical Root Mean Square Error	0.049
Description	Located about 3.2 miles NW of Kill Devil Hills and 4.1 miles SSW of Southern Shores. On US 158 Bypass, 2.4 miles west from the main entrance to The Wright Brothers Memorial to Arch Street, in the northwest quadrant. 57.2 ft. West-Southwest of the centerline of US 158 Southbound Lanes. The Disk is a commemorative of the Wright Brothers first flight NGS, NCGS, NOAA, and NPS agency inscriptions.



Monument: ARCH




Location Verification: ARCH

Mean of Inverse Shots - Published Versus APTIM Found				
Monument	No. of Shots	ΔN	ΔE	ΔZ
ARCH	20	0.03	-0.01	0.14

CONTROL MONUMENT USED BY APTIM FOR 2019 TOWN OF KITTY HAWK, TOWN OF DUCK TOPOGRAPHIC AND HYDROGRAPHIC SURVEY REPORT MAY 2019	
DATUMS: NAD83(2011) / NAVD1988 (U.S. SURVEY FEET)	
Designation	DURHAM
Stamping	DURHAM 2005
Northing	849159.56
Easting	2982928.60
Horizontal Root Mean Square Error	0.094
Elevation	9.09
Vertical Root Mean Square Error	0.038
Description	Mark is about level with the centerline of East Fifth Saint and is flush with the ground. Located 26.7 ft. SSE of the centerline of East fifth Saint, 101.2 ft. ENE of the centerline of U.S. 158 NB lanes, 44 ft. SW of the center of a drop inlet, 47.7 ft. ENE of a fire hydrant.



Monument: DURHAM



Location Verification: DURHAM

Mean of Inverse Shots – Published Solution Versus APTIM Found				
Monument	No. of Shots	ΔN	ΔE	ΔZ
DURHAM	14	0.03	-0.04	0.10

CONTROL MONUMENT USED BY APTIM FOR 2019 TOWN OF KITTY HAWK, TOWN OF DUCK TOPOGRAPHIC AND HYDROGRAPHIC SURVEY REPORT MAY 2019	
DATUMS: NAD83(2011) / NAVD1988 (U.S. SURVEY FEET)	
Designation	KITTY
Stamping	KITTY 1962
Northing	859358.84
Easting	2977204.86
Horizontal Root Mean Square Error	0.130
Elevation	9.17
Vertical Root Mean Square Error	0.060
Description	Station is located about 0.65 miles east of the post office in Kitty Hawk. The station is a standard disk set in a 12x12 inch concrete monument. It is 126 feet east-southeast of the intersection, 17 feet east of a power line pole and 2.7 feet northeast of a metal witness post with sign. The mark is flush with the ground.



Monument: KITTY



Location Verification: KITTY

Mean of Inverse Shots – Published Versus APTIM Found				
Monument	No. of Shots	ΔN	ΔE	ΔZ
KITTY	47	0.01	-0.06	0.10

CONTROL MONUMENT USED BY APTIM FOR 2019 TOWN OF KITTY HAWK, TOWN OF DUCK TOPOGRAPHIC AND HYDROGRAPHIC SURVEY REPORT MAY 2019	
DATUMS: NAD83(2011) / NAVD1988 (U.S. SURVEY FEET)	
Designation	865 1370 C TIDAL
Stamping	865 1370 C 1977
Northing	900621.51
Easting	2957662.02
Horizontal Root Mean Square Error	0.098
Elevation	18.46
Vertical Root Mean Square Error	0.005
Description	The mark is above level with road. In Duck, 1 mile north along county road 1152 from the United Methodist church to the junction of a paved access road leading east to the U.S. Army Corp of Engineers Coastal Engineering research facility, 0.15 miles east of the junction of the roads, 0.05 miles west of the west entrance of the visitors parking area, 600 feet east of the line of county road 1152, 500 feet east of tidal mark 865-1370 D and 100 feet north of the center of the access road. The mark is 0.5 m South from a witness post.



Monument: 1370 865 C TIDAL



Location Verification: 1370 865 C TIDAL

Mean of Inverse Shots – Published Versus APTIM Found				
Monument	No. of Shots	ΔN	ΔE	ΔZ
865 1370 C TIDAL	14	0.00	0.01	0.01

CONTROL MONUMENT USED BY APTIM FOR 2019 TOWN OF KITTY HAWK, TOWN OF DUCK TOPOGRAPHIC AND HYDROGRAPHIC SURVEY REPORT MAY 2019	
DATUMS: NAD83(2011) / NAVD1988 (U.S. SURVEY FEET)	
Designation	CAFFEY
Stamping	CAFFEY 1935
Northing	915308.87
Easting	2952084.11
Horizontal Root Mean Square Error	0.149
Elevation	1.99
Vertical Root Mean Square Error	0.025
Description	Station is about 350 feet W of Caffey Inlet Coast Guard Station, on a small sand neck which extends into the marsh on the E shore of Currituck Sound. This neck is just S of an old can buoy lying in the marsh and is just N of a small gut which the road crosses on a small bridge. The station is about 225 feet W of a flagpole at the fence line W of the coast guard station, a point in line with the S fence, and 179 feet NW of the center of the bridge.



Monument: CAFFEY

Mean of Inverse Shots – Published Versus APTIM Found				
Monument	No. of Shots	ΔN	ΔE	ΔZ
CAFFEY	22	-0.02	-0.02	0.07

**KITTY HAWK, KILL DEVIL HILLS STATION INFORMATION
MAY 2019**

DATUMS: NAD83(2011) / NAVD88 (U.S. SURVEY FEET)

STATION	NORTHING	EASTING	AZIMUTH
-50+00	876228.00	2968838.00	62.57
-40+00	875440.00	2969249.00	62.57
-30+00	874496.08	2969731.60	62.57
-20+00	873607.16	2970189.67	62.57
-10+00	872720.97	2970653.00	62.57
0+00.00	871890.80	2971224.20	62.60
9+99.90	871003.30	2971685.80	62.60
20+02.68	870116.70	2972153.20	62.60
30+05.52	869230.00	2972621.70	62.20
40+23.88	868329.70	2973097.50	62.20
50+28.29	867441.70	2973566.70	62.20
60+50.00	866538.40	2974044.00	62.20
70+02.90	865695.80	2974489.10	62.20
80+15.19	864800.80	2974962.00	62.20
89+56.91	863968.20	2975401.90	62.20
99+99.71	863052.20	2975900.20	61.50
109+99.46	862189.90	2976406.10	59.60
119+99.14	861327.70	2976911.90	59.60
130+33.04	860436.00	2977435.10	59.60
138+27.64	859735.48	2977811.33	59.60
149+99.46	858740.05	2978430.26	59.60
159+99.55	857895.27	2978966.59	59.60
169+70.21	857040.44	2979427.66	59.60
179+87.62	856163.07	2979942.69	59.60
189+87.10	855301.16	2980448.64	59.60
199+93.01	854433.71	2980957.84	59.58
209+74.44	853579.14	2981440.37	60.53
219+99.94	852686.23	2981944.55	60.53
229+83.39	851830.15	2982428.55	60.52
240+41.84	850908.80	2982949.45	60.52
249+81.53	850076.05	2983384.80	61.90
260+17.44	849165.95	2983879.57	61.90
269+49.25	848341.66	2984314.02	62.20
279+80.81	847429.13	2984795.03	62.20
289+99.14	846547.02	2985305.30	62.20
299+92.48	845649.70	2985733.15	62.20
309+71.20	844785.81	2986193.06	61.97
320+05.37	843872.99	2986679.03	61.97
329+88.80	843003.79	2987138.95	62.10
340+20	842092.34	2987621.23	62.12
349+70	841269.59	2988097.3	62.12
359+83	840357.49	2988539.16	62.12
369+89	839485.48	2989042.4	62.12

APPENDIX 2: Profile XYZ Data

PROFILE XYZ DATA
(Available in digital format only)

APPENDIX 3
PROFILE PLOTS

Kitty Hawk / Kill Devil Hills Monitoring Surveys

Station: -50+00


Drone View



Map View



Profile View




Kitty Hawk / Kill Devil Hills Monitoring Surveys

Station: -40+00


Drone View



Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys

Station: -30+00


Drone View



Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys

Station: -20+00


Drone View



Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys

Station: -10+00


Drone View



Map View



Profile View




Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 0+00

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 9+99

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 20+03

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 30+06

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 40+24

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 50+28

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 60+50

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 70+03

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 80+15

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 89+57

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 100+00

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 109+99

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 119+99

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 130+33

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 138+28

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 149+99

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 160+00

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 169+70

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 179+88

Drone View

Map View



Profile View




Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 189+87

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 199+93

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 209+74

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 220+00

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 229+83

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 240+42

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 249+82

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 260+17

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 269+49

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 279+81

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 289+99

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 299+92

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys Station: 309+71


Drone View



Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 314+88

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 320+05

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys

Station: 329+89


Drone View



Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 340+20

Drone View

Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys Station: 349+70


Drone View



Map View



Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys


Station: 359+83

Drone View

Map View




Profile View



Kitty Hawk / Kill Devil Hills Monitoring Surveys Station: 369+89


Drone View



Map View



Profile View



APPENDIX 4


GROUND DIGITAL PHOTOGRAPHY

**Ground Digital Photography
Monument**

-50+00



North View



South View



Landward View

**Ground Digital Photography
Monument**

-40+00



North View



South View



Landward View

**Ground Digital Photography
Monument**

-30+00



North View



South View



Landward View

**Ground Digital Photography
Monument**

-20+00



North View



South View



Landward View

**Ground Digital Photography
Monument**

-10+00



North View



South View



Landward View

**Ground Digital Photography
Monument**

0+00



North View




South View



Landward View

**Ground Digital Photography
Monument**

9+99



North View



South View



Landward View

**Ground Digital Photography
Monument**

20+02



North View



South View



Landward View

**Ground Digital Photography
Monument**

30+05



North View



South View



Landward View

**Ground Digital Photography
Monument**

40+24



North View



South View



Landward View

**Ground Digital Photography
Monument**

50+28



North View



South View



Landward View

**Ground Digital Photography
Monument**

60+50



North View



South View



Landward View

**Ground Digital Photography
Monument**

70+03



North View



South View



Landward View

**Ground Digital Photography
Monument**

80+15



North View



South View



Landward View

**Ground Digital Photography
Monument**

89+57



North View



South View




Landward View

**Ground Digital Photography
Monument**

99+99



North View



South View



Landward View

**Ground Digital Photography
Monument**

109+99



North View



South View



Landward View

**Ground Digital Photography
Monument**

119+99



North View




South View




Landward View

**Ground Digital Photography
Monument**

130+33



North View




South View




Landward View

**Ground Digital Photography
Monument**

138+28



North View



South View



Landward View

**Ground Digital Photography
Monument**

149+99



North View



South View



Landward View

**Ground Digital Photography
Monument**

159+99



North View



South View



Landward View

**Ground Digital Photography
Monument**

169+70



North View



South View



Landward View

**Ground Digital Photography
Monument**

179+87



North View



South View



Landward View

**Ground Digital Photography
Monument**

189+87



North View



South View



Landward View

**Ground Digital Photography
Monument**

189+87



North View



South View



Landward View

**Ground Digital Photography
Monument**

199+93



North View



South View



Landward View

**Ground Digital Photography
Monument**

209+74



North View



South View



Landward View

**Ground Digital Photography
Monument**

219+99



North View



South View



Landward View

**Ground Digital Photography
Monument**

229+83



North View



South View



Landward View

**Ground Digital Photography
Monument**

240+41



North View




South View



Landward View

**Ground Digital Photography
Monument**

249+81



North View



South View




Landward View

**Ground Digital Photography
Monument**

260+17



North View



South View



Landward View

**Ground Digital Photography
Monument**

269+49



North View



South View




Landward View

**Ground Digital Photography
Monument**

279+80



North View




South View



Landward View

**Ground Digital Photography
Monument**

289+99



North View



South View



Landward View

**Ground Digital Photography
Monument**

299+92



North View



South View



Landward View

**Ground Digital Photography
Monument**

309+71



North View



South View



Landward View

**Ground Digital Photography
Monument**

314+88



North View



South View



Landward View

**Ground Digital Photography
Monument**

320+05



North View



South View



Landward View

**Ground Digital Photography
Monument**

329+88



North View



South View




Landward View

**Ground Digital Photography
Monument**


340+20



North View



South View



Landward View

**Ground Digital Photography
Monument**

349+69



North View



South View



Landward View

**Ground Digital Photography
Monument**

359+82



North View



South View




Landward View

**Ground Digital Photography
Monument**

369+89



North View



South View



Landward View

APPENDIX 5

FIELD BOOK PAGES

(Available in digital format only)